

USING POINTERS

Today

- Today we will look at topics relating to the use of pointers
 - Call by value
 - Call by reference
 - Copy constructors
 - Dynamic memory allocation
- The last of these isn't directly to do with pointers, but we need to cover it to understand some of the stuff that is to do with pointers.
- This material is kind of covered in Chapter 3 by Pohl.
- All the examples in these notes are on the class website.
- We will start by recalling the use of functions.

Functions: parameters and arguments

- Function header declaration:

```
type name ( parameters );
```

- Function definition:

```
type name ( parameters ) {  
    statements  
}
```

- Function invocation:

```
name ( arguments );
```

or

```
variable_of_type = name ( arguments );
```

- Functions have to be declared before they can be called

- The book uses the word “parameters” when a function is declared and “arguments” when a function is invoked (or “called”)
- When a function is called, the program control shifts from wherever the function call originates to the body of the function
- The function arguments get initialized as local variables within the function.
- Now, parameters can be either:
 - *call by value* or
 - *call by reference*

Call by value

- With *call by value*, the *value* of each argument is copied to a local variable within the function
- When the function ends, the program control returns to wherever the function was called from, and the memory allocated within the function returns to the program's memory stack
- Even if the values of the local arguments within the function changed during the execution of the function, the values that were used to invoke the function do not change

- Example:

```
#include <iostream>
using namespace std;

void myfun( int a ) {
    a++;
    cout << "inside myfun, a=" << a << endl;
} // end of myfun()

int main() {
    int a = 7;
    cout << "before calling myfun, a=" << a << endl;
    myfun( a );
    cout << "after calling myfun, a=" << a << endl;
} // end of main()
```

- The output is:

before calling myfun, a=7
inside myfun, a=8
after calling myfun, a=7

Call by reference

- With *call by reference*, the *address* of each argument is copied to a local variable within the function
- When the function ends, the program control returns to wherever the function was called from, and the memory allocated within the function returns to the program's memory stack
- Because the local arguments are addresses, any changes that were made to the values stored at these address locations during the execution of the function *are retained* when the function ends
- in C++, there are two ways to implement call by reference:
 - using pointers; and
 - using references.

- Example of call by reference using pointers:

```
#include <iostream>
using namespace std;

void myfun( int *a ) {
    (*a)++;
    cout << "inside myfun, *a=" << *a << endl;
} // end of myfun()

int main() {
    int a = 7;
    cout << "before calling myfun, a=" << a << endl;
    myfun( &a );
    cout << "after calling myfun, a=" << a << endl;
}
```

- And the output is:

before calling myfun, a=7
inside myfun, *a=8
after calling myfun, a=8

- Example of call by reference using references:

```
#include <iostream>
using namespace std;

void myfun( int &a ) {
    a++;
    cout << "inside myfun, a=" << a << endl;
} // end of myfun()

int main() {
    int a = 7;
    cout << "before calling myfun, a=" << a << endl;
    myfun( a );
    cout << "after calling myfun, a=" << a << endl;
}
```

Why use call-by-reference?

- We use call-by-reference for *efficiency*.
- Call-by-value requires the computer to copy the parameters before passing them to the function.
- This is fine if the parameters are a few chars or doubles.
- But in C++ we might call a function on a complex object that holds many many bytes of data.
- It is far more efficient, in both memory and time, to pass a pointer to such an object than to copy it.

Copy constructors

- If you do decide to pass a complex object by call-by-value, you need to define a *copy constructor* for it.
- The problem is that C++ on its doesn't know how to copy complex objects.
- So you have to describe exactly how to make a copy.
- Here's a copy constructor for the `point` object:

```
point::point(const point& p) {  
    x = p.x;  
    y = p.y;  
}
```

- (`point` is not complex enough to require a copy constructor, but it makes a good example since we know it so well by now).

- C++ knows this is a copy constructor by the signature.
- There is no return type (just like a constructor).
- The only argument is a reference to an object of the same class as the constructor is defined for.
- Using a copy constructor we get a *deep copy* of the original object.
- This is in contrast to the *shallow copy* that we get if we don't define a copy constructor.

Passing arrays to functions

- Given the following example:

```
int sum( int A[], int n )
{
    int s=0;

    for ( int i=0; i<n; i++ )
        s += A[i];
    return( s );
} // end of sum()
```

- When the array A is passed to the function sum(), it is passed using call-by-value on it's base address (i.e., the address of A[0])
- However, passing an address call-by-value is the same as passing the thing that is addressed call-by-reference.

- Thus within the context of a function header definition, the following two statements are equivalent:

```
int sum( int A[], ... ) { ... }
```

and

```
int sum( int *A, ... ) { ... }
```

but not in other contexts!

- This explains the function headers you see in some of the C++ libraries.

- And the output is:

before calling myfun, a=7
inside myfun, a=8
after calling myfun, a=8

Generic pointers

- Last class, we talked about pointers to specific data types, e.g.:

```
int  *pi;  
char *pc;
```

- You can also have a pointer to a `void`:

```
void *pv;
```

- Clearly this is not a pointer **to** anything (what is a `void`?).
- A “pointer to a `void`” is a *generic* pointer.
- You can use it to point to different kinds of object.
- When you *dereference* the pointer, it is like converting it to that data type

- Below are all legal statements, given the definitions above:

```
pv = pi;  
pv = pc;  
pi = reinterpret_cast<int*>(pv);  
*pi = 12;  
*pc = 'A';
```

- You can use a generic pointer, for example, as an argument to a function to which you might need to pass different kinds of object.

Dynamic memory allocation

- In C++, there are two functions that handle dynamic memory allocation: `new` and `delete`

- The syntax for `new` is:

`new` *type-name*

`new` *type-name initializer*

`new` *type-name[expression]*

- For example:

```
int *p, *q, *r;
```

```
p = new int(5); // allocation and initialization
```

```
q = new int[10]; // allocation, but uninitialized
```

```
r = new int;      // allocation, but uninitialized
```

- Some compilers initialize values to 0 by default, but not all—that is not part of the language specification, so don't rely on it!

- The syntax for delete is:
delete *expression*
delete[] *expression*
- The first form is for non-arrays; the second form is for arrays
- The point of dynamic memory allocation is to allow your program to decide, while running, how much data it needs to store.
- You can, therefore, tailor the size of an array to the problem you are trying to solve.
- The next slide gives an example (from book, p137):

```

#include <iostream>
using namespace std;

int main() {
    int *data;
    int  size;

    cout << "\nenter array size: ";
    cin >> size;
    assert( size > 0 );

    data = new int[size]; // allocate array of ints
    assert( data != 0 );

    for ( int j=0; j<size; j++ ) {
        cout << (data[j]=j) << '\t';
    }
    cout << "\n\n";
    delete[] data;          // deallocate space for array

} // end of main()

```

Namespaces

- You have already been using namespaces as in:

```
#include <iostream>  
using namespace std;
```

- The `std` namespace is the standard C/C++ namespace that comes with the language
- A namespace is a way of grouping classes to avoid name conflict
- That is, you could have two things with the same name, but in different name spaces, and then there would be no conflict

- Declaration of classes within a namespace looks like this:

```
namespace myspace {  
  
    class myclass1 { ... };  
  
    class myclass2 { ... };  
  
} \\ end of namespace
```

- Note that when you define a namespace in a header file, you do not need to use the .h in the include statement:

```
#include <iostream>  
using namespace std;
```

versus

```
#include <time.h>
```

- The first include statement is part of a namespace; the second is not

Summary

- This lecture has looked at uses of pointers:
 - We mainly discussed the use of pointers (and references) for call-by-reference.
 - We also described copy constructors;
 - Generic pointers; and
 - Dynamic memory allocation.
- Finally, we briefly discussed namespaces.