

MORE CONTROL STRUCTURES AND SOME MATHEMATICS

Today

- The for statement
- Recap arithmetic
- Arithmetic with mixed variable types
- Math library functions

This is a bit of a miscellaneous collection of the things we didn't yet cover from Chapters 1 & 2.

The for loop statement

- We use the for structure in the ant-game program:

```
for(turns = 8; turns >= 0 ; turns--)  
{  
    :  
    <move the ant>  
    :  
}
```

- We use it to give us just 8 turns to get the ant to its home.

The for loop statement

- General structure:

```
for(<start>; <true or false> ; <change>)  
{  
    <some instructions>  
}
```

- This works as follows

The for loop statement

- At the start of the loop, the instruction in <start> is carried out.
- We usually use this to set the value of a counter.
- Then <true or false> is tested to see if it is true or false.
- This is usually a test on the counter.
- If it is false, the program will skip to the } that marks the end of the control structure.
- If it is true the <some instructions> are executed.
- Once they are done, the instruction in <change> is executed.
- This is usually something that changes the value of the counter.
- Then <true or false> is tested again.
- Thus <some instructions> will be repeatedly executed until <true or false> becomes false.

Examples

- In the antworld, we might have:

```
int myCount;  
  
for(myCount = 1 ; myCount <= 5 ; myCount++)  
{  
  
    goNorth();  
    goEast();  
  
}
```

- This would make the ant go 5 steps north and five steps east.

- While:

```
int myCount;  
  
for(myCount = 10 ; myCount > 5 ; myCount--)  
{  
  
    goNorth();  
    goEast();  
  
}
```

would do the same, but with different values of myCount.

- What would

```
int myCount;  
  
for(myCount = 2 ; myCount < 8 ; myCount+=2)  
{  
  
    goSouth();  
    goWest();  
  
}
```

do?

Arithmetic

- The mathematical operators in C++ are:

+	unary plus
-	unary minus
+	addition
-	subtraction
*	multiplication
/	division
%	modulo

- We also have ++, --, +=, -=, *= and /=.

- Given:

```
int x;  
int y;  
int z;
```

we can write, for example:

```
z = -x;  
z = +y;  
z = x + y;  
z = x - y;  
z = x * y;  
z = x / y;  
z = x % y;
```

- Because x and y are integers, when we do division it is integer (elementary school) division.

- So:

```
x = 13;  
y = 3;  
z = x/y;
```

makes z equal to 4.

- Similarly:

```
x = 13;  
y = 3;  
z = x % y;
```

makes z equal to 1.

- We can write complex arithmetic expressions, like:

```
int x, y, z;  
int u, v, w;
```

```
x = y + z * u - v / w;
```

- What sum does this do?

- My advice: use parentheses, so if you want:

```
x = ((y + z) * u) - v / w;
```

then write that.

- If you don't do what I advise, then C++ uses some (kind of complex) rules to figure out what to do.

- It uses *precedence* rules to decide which things to do first.
- For example, it does * and / before + and -
- There are also *associativity* rules, which say how to order things when the precedence rules don't help.
- For example is:


```
x / y * z
```

 the same as


```
(x / y) * z
```

 or


```
(x / (y * z))?
```
- Precedence and associativity rules are in the textbook, page 65.

Arithmetic with mixed variables

- In the arithmetic we have seen before, everything is an integer.
- That's why division was odd (and we needed %) — there was no way to represent fractions.
- If we want to be able to handle fractions, we use double-valued variables

```
double x = 13;
double y = 4;
double z
```

```
z = x/y;
```

makes z equal to 3.25

- If all the variables are double then things work as you'd expect.
- You can combine fractions and get fractions as answers.
- Things can be odd if you mix doubles and ints.

```
double x = 13;
double y = 4;
int z
```

```
z = x/y;
```

makes z equal to 3

- This happens because you can't store the fractional bit in z, so it just gets truncated.

- Perhaps stranger is:

```
int x = 13;
int y = 4;
double z
```

```
z = x/y;
```

makes z equal to 3

- This happens because x/y has been evaluated to 4 (as a result of integer division) before it is assigned to z.

- However:

```
double x = 13;  
int y = 4;  
double z
```

```
z = x/y;
```

makes z equal to 3.25

- This happens because having one of the variables in the division be a double forces the whole division to be done as if all the values were doubles.

Math library

- In the ant-game, let's imagine we want to see how far the ant is from home.
- We have x and y which give us the ant's position.
- We have homeX and homeY which give us the position of the home.
- The distance between them is:
$$distance = \sqrt{(x - homeX)^2 + (y - homeY)^2}$$
- How can we compute this?

- The squares are easy enough to compute.

```
(x - homeX) * (x - homeX)
```

and

```
(y - homeY) * (y - homeY)
```

- For the square root we can use the *math library function* `sqrt`.

```
distance = sqrt(((x - homeX) * (x - homeX))  
               + ((y - homeY) * (y - homeY)));
```

- To use the math library, we need to add in
`#include<cmath>`
at the start of the program.
- See the ant game for an example of this.

- The math library contains a bunch of other functions:
- `double pow(double x, double y)`
- `double sin(double x)`
- `double cos(double x)`
- `double tan(double x)`
- `double asin(double x)`
- `double acos(double x)`
- `double atan(double x)`

Summary

- This lecture covered a number of slightly unrelated things.
- We looked at `for` loops.
- Then we looked at different aspects of arithmetic, especially what happens when you have complex expressions, and when you mix `ints` and `doubles`.
- Finally, we looked at using the math library.