LECTURE 9: ALLOCATING SCARCE RESOURCES

An Introduction to Multiagent Systems
CIS 716.5, Spring 2010

Lecture 9

An Introduction to Multiagent Systems

- In practice, this means we will be talking about auctions.
- These used to be rare (and not so long ago).
- However, auctions have grown massively with the Web/Internet
 - Frictionless commerce
- Now feasible to auction things that weren't previously profitable:
 - eBay
 - Adword auctions

Lecture 9

An Introduction to Multiagent Systems

Today

- Allocation of scarce resources amongst a number of agents is central to multiagent systems.
- Resource as in:
 - Physical object
 - Right to use land
 - Computational resources
- Scarce because if it isn't, there is no trouble allocating it.
- Allocating between a number of agents because, if there aren't many competing agents, there is no trouble allocating it.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

1

Lecture 9

An Introduction to Multiagent Systems



©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

What is an auction?

- Concerned with *traders* and their allocations of:
 - Units of an indivisible good; and
 - Money, which is divisible.
- Assume some initial allocation.
- Exchange is the free alteration of allocations of goods and money between traders
- Each trader has a value or limit price that they place on the good.
- A buyer who exchanges more than their limit price for a good makes a loss.
- A seller who exchanges a good for less than their limit price makes a loss.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

Lecture 9

An Introduction to Multiagent Systems

- Private value
 - Good has an value to me that is independent of what it is worth to you.
 - Textbook gives the example of John Lennon's last dollar bill.
- Common value
 - The good has the same value to all of us, but we have differing estimates of what it is.
 - Winner's curse
- Correlated value
 - Our values are related.
 - The more you are prepared to pay, the more I should be prepared to pay.

Lecture 9

An Introduction to Multiagent Systems

- Limit prices clearly have an effect on the behavior of traders.
- There are several models, embodying different assumptions about the nature of the good.
- Three commonly used models:
 - Private value
 - Common value
 - Correlated value
- These are the models you'll find most often adopted in the literature.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

F

Lecture 9

An Introduction to Multiagent Systems

- A *market institution* defines how the exchange takes place.
 - Defines what messages can be exchanged.
 - Defines how the final allocation depends on the messages.
- The change of allocation is market clearing.
- Difference between allocations is net trade.
 - Component for each trader in the market.
 - Each trader with a non-zero component has a trade or transaction price.
 - Absolute value of the money component divided by the good component.
- Traders with positive good component are buyers
- Traders with negative good component are sellers
- One way traders are either buyers or sellers but not both.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

Yes, but what is an auction?

An *auction* is a market institution in which messages from traders include some price information—this information may be an offer to buy at a given price, in the case of a *bid*, or an offer to sell at a given price, in the case of an *ask*—and which gives priority to higher bids and lower asks.

This definition, as with all this terminology, comes from Dan Friedman.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

8

Lecture 9

An Introduction to Multiagent Systems

The zoology of auctions

- We can split auctions into a number of different categories.
- Being good computer scientists, we draw up a taxonomy.
 - This gives us a handle on all the kinds there might be.
 - It suggests parameterization.
 - It can help us to think about implementation.
- This particular classification is a bit zoological, but it is a good place to start.

Lecture 9

An Introduction to Multiagent Systems



©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

ç

Lecture 9

An Introduction to Multiagent Systems

Single versus multi-dimensional

- Single dimensional auctions
 - The only content of an offer are the price and quantity of some specific type of good.
 - "I'll bid \$200 for those 2 chairs"
- Multi dimensional auctions
 - Offers can relate to many different aspects of many different goods.
 - "I'm prepared to pay \$200 for those two red chairs, but \$300 if you can deliver them tomorrow."

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

10

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

Single versus double-sided

- Single-sided markets
 - Either one buyer and many sellers, or one seller and many buyers.
 - The latter is the thing we normally think of as an auction.
- Two-sided markets
 - Many buyers and many sellers.
- Single sided markets with one seller and many buyers are "sell-side" markets.
- Single-sided markets with one buyer and many sellers are "buy-side".

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

12

14

Lecture 9

An Introduction to Multiagent Systems

Single-unit versus multi-unit

- How many units of the same good are we allowed to bid for?
- Single unit
 - One at a time.
 - Might repeat if many units to be sold.
- Multi-unit
 - Bid both price and quantity.
- "Unit" refers to the indivisible unit that we are selling.
 - Single fish versus box of fish.

Lecture 9

An Introduction to Multiagent Systems

Open-cry versus sealed-bid

- Open cry
 - Traders announce their offers to all traders
- Sealed bid
 - Only the auctioneer sees the offers.
- Clearly as a bidder in an open-cry auction you have more information.
- In some auction forms you pay for preferential access to information.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

13

Lecture 9

An Introduction to Multiagent Systems

First price versus *k*th price

• Does the winner pay the highest price bid, the second highest price, the *kth* highest price?

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

Single item versus multi-item

- · Not so much quantity as heterogeneity.
- Single item
 - Just the one indivisible thing that is being auctioned.
- Multi-item
 - Bid for a bundle of goods.
 - "Two red chairs and an orange couch, or a purple beanbag."
 - Valuations for bundles are not linear combinations of the values of the constituents.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

16

18

Lecture 9

An Introduction to Multiagent Systems

English auction

- This is the kind of auction everyone knows.
- Typical example is sell-side.
- Buyers call out bids, bids increase in price.
- In some instances the auctioneer may call out prices with buyers indicating they agree to such a price.
- The seller may set a *reserve price*, the lowest acceptable price.
- Auction ends:
 - at a fixed time (internet auctions); or
 - when there is no more bidding activity.
- The "last man standing" pays their bid.

Lecture 9

An Introduction to Multiagent Systems

Standard auction types

- We will look at the four "standard" auctions:
 - English auction
 - Dutch auction
 - First-price sealed bid auction
 - Vickrey auction
- Also the so-called Japanese auction.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

17

Lecture 9

An Introduction to Multiagent Systems

- Classified in the terms we used above:
 - Single-dimensional
 - Single-sided
 - Open-cry
 - Single unit
 - First-price
 - Single item
- Around 95% of internet auctions are of this kind.
- Classic use is sale of antiques and artwork.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

19

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems



©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

20

22

Lecture 9

An Introduction to Multiagent Systems

Dutch auction

- Also called a "descending clock" auction
 - Some auctions use a clock to display the prices.
- Starts at a high price, and the auctioneer calls out descending prices.
- One bidder claims the good by indicating the current price is acceptable.
- Ties are broken by restarting the descent from a slightly higher price than the tie occurred at.
- The winner pays the price at which they "stop the clock".

Lecture 9

An Introduction to Multiagent Systems

Unlikely tales

The former president of Parke-Benet reports that a dealer attending a sale of eighteenth-century French furniture had arranged to unbutton his overcoat whenever he wished to bid; buttoning the overcoat again would signal that he had ceased bidding. The dealer, coat unbuttoned, was in the midst of bidding for a Louis XVI sofa when he saw someone outside to whom he wished to speak and suddenly left the room. The auctioneer continued to bid for the dealer who, when he returned to the room, found he had become the owner of the sofa at an unexpectedly high price. An argument then followed as to whether an unbuttoned coat not in the auction room is the same as an unbuttoned coat in the auction room.

(Cassady, 1969)

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

21

Lecture 9

An Introduction to Multiagent Systems

- Classified in the terms we used above:
 - Single-dimensional
 - Single-sided
 - Open-cry
 - Single unit
 - First-price
 - Single item
- High volume (since auction proceeds swiftly).
- Often used to sell perishable goods:
 - Flowers in the Netherlands (eg. Aalsmeer)
 - Fish in Spain and Israel.
 - Tobacco in Canada.


©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010









An Introduction to Multiagent Systems

 The Guardian states that the Aalsmeer auction trades 19 million flowers and 2 million plants . . . every day. April 23rd 2008 (page 18–19)

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

28

Lecture 9

An Introduction to Multiagent Systems

- Classified in the terms we used above:
 - Single-dimensional
 - Single-sided
 - Sealed-bid
 - Single unit
 - First-price
- Governments often use this mechanism to sell treasury bonds.
 - UK still does.
 - US recently changed to SPSB.
- Property can also be sold this way (as in Scotland).

Lecture 9

An Introduction to Multiagent Systems

First-price sealed bid auction

- In an English auction, you get information about how much a good is worth.
- Other people's bids tell you things about the market.
- In a sealed bid auction, none of that happens
 - at most you know the winning price after the auction.
- In the FPSB auction the highest bid wins as always
- As its name suggests, the winner pays that highest price (which is what they bid).

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

29

Lecture 9

An Introduction to Multiagent Systems

The Amsterdam auction

- Since medieval time, property in the low countries has traditionally been sold using the "Amsterdam" auction.
- Start with an English auction.
- When down to the final two bidders, start a Dutch auction stage.
- Dutch auction starts from twice the final price of the English auction.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

30

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

Vickrey auctions

- The Vickrey auction is a sealed bid auction.
- The winning bid is the highest bid, but the winning bidder pays the amount of the second highest bid.
- This sounds odd, but it is actually a very smart design.
- It is in the bidders' interest to bid their true value.
 - incentive compatible in the usual terminology.
- However, it is not a panacea, as the New Zealand government found out.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

32

Lecture 9

An Introduction to Multiagent Systems

Why does the Vickrey auction work?

- Suppose you bid *more* than your valuation.
 - You may win the good.
 - If you do, you may end up paying more than you think the good is worth.
 - Not so smart.
- Suppose you bid less than your valuation.
 - You stand less chance of winning the good.
 - However, even if you do win it, you will end up paying the same.
 - Not so smart.
- So there is no point in bidding above ro below your valuation.
- Of course, this really assumes there are a large number of bidders (see the New Zealand case).

Lecture 9

An Introduction to Multiagent Systems

- Again, classified as above, it is:
 - Single-dimensional
 - Single-sided
 - Sealed-bid
 - Single unit
 - Second-price

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

33

Lecture 9

An Introduction to Multiagent Systems

Japanese fish auction

- The auction form used to sell fish in Tokyo is different:
 - [The] distinctive aspect [of this auction form] is that all bids are made by prospective buyers at the same time, or approximately the same time, using individual hand signs for each monetary unit. ... The bidding starts as soon as the auctioneer gives the signal, and the highest bidder, as determined by the auctioneer, is awarded the lot.
- This is thus simultaneous bidding and rather like an FPSB auction.
- Ties are "not uncommon[ly]" broken by playing Jan Ken Pon (or 'paper, rock, scissors').

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

34

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010



An Introduction to Multiagent Systems



©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

An Introduction to Multiagent Systems

Combinatorial Auctions

- Auctions for bundles of goods.
- A good example of bundles of good are spectrum licences.
- For the 1.7 to 1.72 GHz band for Brooklyn to be useful, you need a license for Manhattan, Queens, Staten Island.
- Most valuable are the licenses for the same bandwidth.
- But a different bandwidth licence is more valuable than no license
 - a phone willw ork, but will be more expensive.
- (The FCC spectrum auctions, however, did not use a combinatorial auction mechanism)

Lecture 9

An Introduction to Multiagent Systems



©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

Lecture 9

meaning that for every possible bundle of goods $Z \subseteq \mathcal{Z}$, $v_i(Z)$

• We gave the usual set of agents $Ag = \{1, \dots, n\}$, and we capture

 $v_i: 2^{\mathcal{Z}} \mapsto \Re$

- says how much Z is worth to i.
- If $v_i(\emptyset) = 0$, then we say that the valuation function for i is normalised.

• Let $\mathcal{Z} = \{Z_1, \dots, Z_m\}$ be a set of items to be auctioned.

preferences of agent *i* with the *valuation* function:

• Another useful idea is free disposal:

$$Z_1 \subseteq Z_2$$
 implies $v_i(Z_1) \le v_i(Z_2)$

• In other words, an agent is never worse off having more stuff.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

- We already mentioned the idea of an allocation.
- Formally an allocation is a list of sets $Z_1, \ldots Z_n$, one for each agent Ag_i with the stipulation that:

$$Z_i \subseteq \mathcal{Z}$$

and for all $i, j \in Ag$ such that $i \neq j$, we have $Z_i \cap Z_i = \emptyset$.

- Thus no good is allocated to more than one agent.
- The set of all allocations of \mathcal{Z} to agents Ag is:

 $alloc(\mathcal{Z}, Ag)$

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

40

Lecture 9

An Introduction to Multiagent Systems

- Given this, we can define a combinatorial auction.
- Given a set of goods Z and a collection of valuation functions v₁,..., v_n, one for each agent i ∈ Ag, the goal is to find an allocation

$$Z_1^*,\ldots,Z_n^*$$

that maximizes sw, inother words

$$Z_1^*, \ldots, Z_n^* = argmax_{(Z_1, \ldots, Z_n) \in alloc(\mathcal{Z}, Ag)} sw(Z_1, \ldots, Z_n, v_1, \ldots, v_n)$$

• Figuring this out is winner determination.

Lecture 9

An Introduction to Multiagent Systems

- If we design the auction, we get to say how the allocation is determined.
- How should this be?
- One natural way is to maximize social welfare.
 - Sum of the utilities of all the agents.
- Define a social welfare function:

$$sw(Z_1,\ldots,Z_n,v_1,\ldots,v_n)=\sum_{i=1}^n v_i(Z_i)$$

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

41

Lecture 9

An Introduction to Multiagent Systems

- How do we do this?
- Well, we could get every agent i to declare their valuation \hat{v}_i
 - The hat denotes that this is what the agent says, not what it necessarily is.
 - The agent may lie!
- Then we just look at all the possible allocations and figure out what the best one is.
- One problem here is *representation*, valuations are exponential:

$$v_i: 2^{\mathcal{Z}} \mapsto \Re$$

- A naive representation is impractical.
- In a bandwidth auction with 1122 licenses we would have to specify 2^{1122} values for each bidder.
- Searching through them is computationally intractable.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

42

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

Bidding languages

- Rather than exhaustive evaluations, allow bidders to construct valuations from the bits they want to mention.
- Atomic bids (Z, p) where $Z \subseteq \mathcal{Z}$.
- A bundle Z' satisfies a bid (Z, p) if $Z \subseteq Z'$.
- In other words a bundle satisifes a bid if it contains at least the things in the bid.
- Atomic bids define valuations

$$v_{\beta}(Z') = \begin{cases} p & \text{if } Z' \text{ satisfies } (Z, p) \\ 0 & \text{otherwise} \end{cases}$$

 Atomic bids alone don't allow us to construct very interesting valuations.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

44

Lecture 9

An Introduction to Multiagent Systems

Thus:

$$\begin{aligned}
\nu_{\beta_1}(\{a\}) &= 0 \\
\nu_{\beta_1}(\{b\}) &= 0 \\
\nu_{\beta_1}(\{a,b\}) &= 3 \\
\nu_{\beta_1}(\{c,d\}) &= 5 \\
\nu_{\beta_1}(\{a,b,c,d\}) &= 5
\end{aligned}$$

Lecture 9

An Introduction to Multiagent Systems

- To construct more complex valuations, atomic bids can be combined into more complex bids.
- One approach is XOR bids

$$B_i = (\{a, b\}, 3) XOR (\{c, d\}, 5)$$

- XOR because we will pay for at most one.
- We read the bid to mean:

I would pay 3 for a bundle that contains a and b but not c and d. I will pay 5 for a bundle that contains c and d but not a and b, and I will pay 5 for a bundle that contains a, b, c and d.

• From this we can construct a valuation.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

45

Lecture 9

An Introduction to Multiagent Systems

More formally, a bid like this:

$$\beta = (Z_1, p_1)XOR...XOR(Z_k, p_k)$$

defines a valuation v_{β} like so:

$$v_{\beta}(Z') = \left\{ \begin{array}{ll} 0 & \text{if } Z' \text{ does not satisfy any } (Z_i, p_i) \\ \max\{p_i | Z_i \subseteq Z'\} & \text{otherwise} \end{array} \right.$$

- XOR bids are fully expressive, that is they can express any valuation function over a set of goods.
- To do that, we may need an exponentially large number of atomic bids.
- However, the valuation of a bundle can be computed in polynomial time.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

46

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

An Introduction to Multiagent Systems

Winner Determination

- The basic problem is intractable.
- But this is a worst case result, so it may be possible to develop approaches thatare optimal and run well in many cases.
- Can also forget optimality and either:
 - Use heuristics; or
 - Look for approximation algorithms.
- Typical approach is to code the problem as an integer linear program and use a standard solver.
- This is intractable in general, but often provides solutions in reasonable time.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

48

50

Lecture 9

An Introduction to Multiagent Systems

- Need some more notation.
- Indifferent valuation function:

$$v^0(Z) = 0$$

for all Z.

• sw_{-i} is the social welfare function without i:

$$sw_{-i}(Z_1,\ldots,Z_n,v_1,\ldots,v_n) = \sum_{i \in A_{\mathcal{S},i} \neq i} v_j(Z_j)$$

And we can then define the VCG mechanism.

Lecture 9

An Introduction to Multiagent Systems

The VCG Mechanism

- In general we don't know whether the \hat{v}_i are true valuations.
- · Life would be easier if they were
 - Well, can we make them true valuations?
- Yes, in a generalization of the Vickrey auction.
 - Vickrey/Clarke/Groves Mechanism
- Mechanism is incentive compatible, telling the truth is a dominant strategy.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

49

Lecture 9

An Introduction to Multiagent Systems

- 1. Every agent simultaneously declares a valuation $\hat{v_i}$.
- 2. The mechanism computes:

$$Z_1^*, \ldots, Z_n^* = argmax_{(Z_1, \ldots, Z_n) \in alloc(\mathcal{Z}, Ag)} sw(Z_1, \ldots, Z_n, \hat{v_1}, \ldots, \hat{v_i}, \ldots, \hat{v_n})$$
 and the allocation Z_1^*, \ldots, Z_n^* is chosen.

3. The mechanism also computes, for each agent *i*:

$$Z_1', \dots, Z_n' = argmax_{(Z_1, \dots, Z_n) \in alloc(\mathcal{Z}, Ag)} sw(Z_1, \dots, Z_n, \hat{v_1}, \dots, v^0, \dots, \hat{v_n})$$

the allocation that maximises social welfare were that agent to have declared v^0 to be its valuation.

4. Every agent i pays p_i , where:

$$p = sw_{-i}(Z'_1, \dots, Z'_n, \hat{v_1}, \dots, v^0, \dots, v_n) - sw_{-i}(Z^*_1, \dots, Z^*_n, \hat{v_1}, \dots, \hat{v_i}, \dots, v_n)$$

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

Lecture 9 An Introduction to Multiagent Systems

- On other words, each agent pays out the cost, to other agents, of it having participated in the auction.
- It is incentive compatible for exactly the same reason as the Vickrey auction was before.
- If you bid more than your valuation and win, well you end up paying back what the good is worth to everyone else, which is more than it is worth to you.
- If you shade your bid, you reduce your chance to win, but even if you win you are still paying what everyone else thinks it is worth so you don't save money by reducing yoru chance to win.
- So we get a dominant startegy for each agent that guarantees to maximise social welfare.


©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010


52

54

Lecture 9 An Introduction to Multiagent Systems

- eBay runs a variation of the English auction.
- Vulnerable to sniping.
- To counter this, eBay offers a automated bidding agent.
 - Reduces the auction to a FPSB.
- · Many companies offer sniping services.
- BTW, there is an easy fix to sniping, but eBay chose not to use it.
 - Activity rule





An Introduction to Multiagent Systems

- To decide which ads get shown in which position for which searches, an adword auction is run.
- This is run in real time.
- (Though clearly bids are placed beforehand.)
- Auction is a variation on the Vickrey auction.
- 85% of Google's revenue (\$4.1 billion) in 2005 came from these auctions.
- Very active area of research.
 - Not clear what the best auction mechanism is for this application.
 - Not clear what the ebst way to bid is.
- There is certainly money to be made here :-)

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010

56

Lecture 9

An Introduction to Multiagent Systems

Summary

- Allocating scarce resources comes down to auctions.
- We looked at a range of different simple auction mechanisms.
 - English auction
 - Dutch auction
 - First price sealed bid
 - Vickrey auction
- The we looked at the popular field of combinatorial auctions.
- We discussed some of the problems in implementing combinatorial auctions.
- And we talked about the Vickrey/Clarke/Groves mechanism, a rare ray of sunshine on the problems of multiagent interaction.

©M. J. Wooldridge, used by permission/Updated by Simon Parsons, Spring 2010