

# LECTURE 5: REACTIVE AND HYBRID ARCHITECTURES

An Introduction to Multiagent Systems

<http://www.csc.liv.ac.uk/~mjlw/pubs/imas/>

- Brooks has put forward three theses:
  1. Intelligent behaviour can be generated *without* explicit representations of the kind that symbolic AI proposes.
  2. Intelligent behaviour can be generated *without* explicit abstract reasoning of the kind that symbolic AI proposes.
  3. Intelligence is an *emergent* property of certain complex systems.

## 0.2 Brooks — behaviour languages

- There are many unsolved (some would say insoluble) problems associated with symbolic AI.
- These problems have led some researchers to question the viability of the whole paradigm, and to the development of *reactive* architectures.
- Although united by a belief that the assumptions underpinning mainstream AI are in some sense wrong, reactive agent researchers use many different techniques.
- In this presentation, we start by reviewing the work of one of the most vocal critics of mainstream AI: Rodney Brooks.

## 0.1 Reactive Architectures

- He identifies two key ideas that have informed his research:
  1. Situatedness and embodiment: 'Real' intelligence is situated in the world, not in disembodied systems such as theorem provers or expert systems.
  2. Intelligence and emergence: 'Intelligent' behaviour arises as a result of an agent's interaction with its environment. Also, intelligence is 'in the eye of the beholder'; it is not an innate, isolated property.

Lecture 5 An Introduction to Multiagent Systems

http://www.csc.liv.ac.uk/~mjw/pubs/imas/

5

- Steels' Mars explorer system, using the subsumption architecture, achieves near-optimal cooperative performance in simulated 'rock gathering on Mars' domain:
  - The objective is to explore a distant planet, and in particular, to collect sample of a precious rock. The location of the samples is not known in advance, but it is known that they tend to be clustered.

Lecture 5 An Introduction to Multiagent Systems

http://www.csc.liv.ac.uk/~mjw/pubs/imas/

4

- To illustrate his ideas, Brooks built some based on his *subsumption architecture*.
- A subsumption architecture is a hierarchy of task-accomplishing *behaviours*.
- Each behaviour is a rather simple rule-like structure.
- Each behaviour 'competes' with others to exercise control over the agent.
- Lower layers represent more primitive kinds of behaviour, (such as avoiding obstacles), and have precedence over layers further up the hierarchy.
- The resulting systems are, in terms of the amount of computation they do, *extremely* simple.
- Some of the robots do tasks that would be impressive if they were accomplished by symbolic AI systems.

Lecture 5 An Introduction to Multiagent Systems

http://www.csc.liv.ac.uk/~mjw/pubs/imas/

7

- Agents will collect samples they find:
  - (4) *if* detect a sample *then* pick sample up.
  - (5) *if* true *then* move randomly.
- An agent with "nothing better to do" will explore randomly:
  - (4) *if* detect a sample *then* pick sample up.
  - (5) *if* true *then* move randomly.

Lecture 5 An Introduction to Multiagent Systems

http://www.csc.liv.ac.uk/~mjw/pubs/imas/

6

- For individual (non-cooperative) agents, the lowest-level behavior, (and hence the behavior with the highest "priority") is obstacle avoidance:
  - (1) *if* detect an obstacle *then* change direction.
- Any samples carried by agents are dropped back at the mother-ship:
  - (2) *if* carrying samples *and* at the base *then* drop samples
- Agents carrying samples will return to the mother-ship:
  - (3) *if* carrying samples *and not* at the base *then* travel up gradient.

- The theoretical limitations of the approach are not well understood.
- Compilation (with propositional specifications) is equivalent to an NP-complete problem.
- The more expressive the agent specification language, the harder it is to compile it.  
(There are some deep theoretical results which say that after a certain expressiveness, the compilation simply can't be done.)

- Often, the reactive component is given some kind of precedence over the deliberative one.
- This kind of structuring leads naturally to the idea of a *layered* architecture, of which TOURINGMACHINES and INTERRAP are examples.
- In such an architecture, an agent's control subsystems are arranged into a hierarchy, with higher layers dealing with information at increasing levels of abstraction.

### 0.3 Situated Automata

- A sophisticated approach is that of Rosenzhein and Kaebbling. In their *situated automata* paradigm, an agent is specified in a rule-like (declarative) language, and this specification is then compiled down to a digital machine, which satisfies the declarative specification.
- This digital machine can operate in a *provable time bound*. Reasoning is done *off line*, at *compile time*, rather than *online* at *run time*.

### 1 Hybrid Architectures

- Many researchers have argued that neither a completely deliberative nor completely reactive approach is suitable for building agents.
- They have suggested using *hybrid* systems, which attempt to marry classical and alternative approaches.
- An obvious approach is to build an agent out of two (or more) subsystems:
  - a *deliberative* one, containing a symbolic world model, which develops plans and makes decisions in the way proposed by symbolic AI; and
  - a *reactive* one, which is capable of reacting to events without complex reasoning.


- A key problem in such architectures is what kind control framework to embed the agent's subsystems in, to manage the interactions between the various layers.

- *Horizontal layering.* Layers are each directly connected to the sensory input and action output. In effect, each layer itself acts like an agent, producing suggestions as to what action to perform.


Sensory input and action output are each dealt with by at most one layer each.

## 2 Ferguson — TOURINGMACHINES


- The TOURINGMACHINES architecture consists of *perception* and *action* subsystems, which interface directly with the agent's environment, and three *control layers*, embedded in a *control framework*, which mediates between the layers.




(a) Horizontal layering



(b) Vertical layering (One pass control)



(c) Vertical layering (Two pass control)



- The *modelling layer* contains symbolic representations of the 'cognitive state' of other entities in the agent's environment.
- The three layers communicate with each other and are embedded in a control framework, which use *control rules*.

Example:

```

sensor-rule-1:
  IF
    entity(observe-6) in perception-buffer
  THEN
    remove-sensor-record(layer-R, entity(observe-6))

```

<http://www.csc.liv.ac.uk/~mjlw/pubs/imas/>

- The *reactive layer* is implemented as a set of situation-action rules, à la subsupmption architecture.

Example:

```

rule-1: kerb-avoidance
  IF
    is-in-front(kerb, Observer) and
    speed(Observer) > 0 and
    separation(kerb, Observer) < KerbThreshold
  THEN
    change-orientation(KerbAvoidanceAngle)

```

- The *planning layer* constructs plans and selects actions to execute in order to achieve the agent's goals.

<http://www.csc.liv.ac.uk/~mjlw/pubs/imas/>