

cs3157 lecture #11 notes.

mon 7 apr 2003

<http://www.cs.columbia.edu/~cs3157>

- news
 - homework #4 posted last week, due april 21
 - quiz #2 back today
- today
 - make
 - configuration management
 - programming sockets in Java

software development models.

- integrated development environment (IDE)
 - integrate code editor, compiler, build environment, debugger
 - graphical tool
 - single or multiple languages
 - VisualStudio, JCreator, BlueJ, ...
- Unix model
 - individual tools, command-line

source code management.

- problem: lots of people working on the same project
 - source code (C, Perl, ...)
 - documentation
 - specification (protocol specs)
- mostly on different areas
- different versions
 - *released* — maintenance only
 - *stable* — about to be released, production use
 - *development, beta*
- different hardware and OS versions

make (1).

- utility typically used for building software packages that are comprised of many source files
- determines automatically which pieces need to be rebuilt
- uses an input file (usually called `makefile` or `Makefile`) which specifies *rules* and *dependencies* for building each piece
- you can use any name for the makefile and specify it on the command line:

```
bash# make
bash# make -f myfile.mk
```
- first way (above) uses default (`makefile` or `Makefile`) as input file
- second way uses `myfile.mk` as input file

make (2).

- defining rules
- the syntax is:

```
<target> : <dependencies>
<tab><command1>
<tab><command2>
...
<tab><commandN>
```

- there must be a <tab> at the beginning of each command line
- for example:

```
foo.o : foo.c defs.h      # rule for building foo.o
cc -c -g foo.c
```

make (3).

- you can specify a target on the command line:

```
bash# make -f myfile.mk install
```

- the default target is the first one in the makefile (i.e., if you don't specify a target on the command line)
- often you have the following targets:
 - all
 - clean
 - install

make (4).

- wildcard characters are *, ? and [. . .] are the same as in the Bourne shell
- variables are also like in the Bourne shell (i.e., begin with \$)
- but be careful because environment variables are imported into make
- there are a number of automatic variables:
 - \$@ = the file name of the rule target
 - \$? = names of all dependencies that are newer than the target
 - \$^ = names of all dependencies
- you can also use F and D to get the file and directory (respectively) portions of full paths
- e.g., \$(@D) and \$(@F) return the directory and file names of the target

make (5).

- example:

```
LIB  = $(HOME)/lib
INC  = $(HOME)/include
BIN  = $(HOME)/bin
```

```
RCS      = RCS
CC        = gcc
LINK      = gcc
CCFLAGS   = -c -g
```

- defines many variables
- which are referred to like this, e.g.: \$(CC)
- notice use of \$(HOME) which is read from the environment

make (6).

- *implicit* rules can be used to define a general way of building one type of file from another
- for example

```
.SUFFIXES:
.SUFFIXES: .o .c

.c.o:
$(CC) $(CCFLAGS) $*.c -o $*.o
```
- note use of variables

make (7).

- it is good practice to list include files as dependencies
- for example:

```
hw4sklarserver: hw4sklar.o util.o
$(LINK) $(LDFLAGS) -o $@ $^

hw4sklar.o: hw4sklar.c hw4sklar.h
util.o: util.c util.h
```
- this will use the implicit rule to know how to build a .o file from a .c file

configuration management.

- version control system
- there are many popular tools:
 - CVS
 - RCS
 - SCCS
- collection of directories, one for each “module”
- release control
- version control
- there is a single master copy (“repository”) and local (developer) copies

about rcs.

- it doesn’t build a system (alone)
- it isn’t project management (alone)
- all changes are isolated vs. single logical change
- it can help with bug fix tracking
- it can help with track change verification
- it doesn’t test program (regression testing)
- it is not a work flow or process model

setting up a repository.

- create a directory for the repository:

```
unix$ mkdir RCS
```

which creates an RCS directory under your current working directory

adding a file to the repository.

- use the “check in” command:

```
unix$ ci movie.c
RCS/movie.c,v <-- movie.c
enter description, terminated with single '.' or end of file:
NOTE: This is NOT the log message!
>> this file manipulates the movie database
>> .
initial revision: 1.1
done
```

- you’ll be asked to enter a description of the file you are adding to the repository
- you only have to do this the first time a file is checked in

what’s in the directory now?

- the directory:

```
unix$ ls -lt RCS
total 8
-r-----  1 cs3157 library 4338 Oct 28 11:27 movie.c,v
```

- notice that the file is only read-only by owner

the RCS file...

```
head 1.1;
access;
symbols;
locks: strict;
comment @ * @;

1.1
date 2002.10.28.16.27.27; author cs3157; state Exp;
branches;
next ;

desc
@this file manipulates the movie database
@

1.1
log
@Initial revision
@
text
@/* movie.c */

#include <stdio.h>
etc

cs3157-spring2003-sklar-lect11
```

checking a file out of the repository.

- there are two modes:
 - read-only
 - read-write
- command for read-only:

```
unix$ co movie.c
RCS/movie.c,v --> movie.c
revision 1.1
done
```
- command for read-write:

```
unix$ co -l movie.c
RCS/movie.c,v --> movie.c
revision 1.1 (locked)
done
```

locking files.

- checking out a file in read-write mode is called checking it out *with a lock*
- this means that only the user who checked out the file can check it back in and unlock the file
- you can also lock a file that is already checked out:

```
unix$ rcs -l movie.c
```
- if the file is already locked by another user, you'll be asked if you want to break the lock
- this can be bad...

getting file information.

- the *rlog* command is used to get information about files in the repository

```
unix$ rlog movie.c

RCS file: RCS/movie.c,v
Working file: movie.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
this file manipulates the movie database
-----
revision 1.1
date: 2002/10/28 16:27:27;  author: cs3157;  state: Exp;
Initial revision
=====
```

finding out about locks.

- you can use *rlog* to find out which files are locked
- to find out which files are locked:

```
unix$ rlog -R -L RCS/*
RCS/movie.c,v
```

checking changed files back in.

- once you make a change to a file (and test it), you should check the file back into the repository

```
unix$ ci movie.c
RCS/movie.c,v <-- movie.c
new revision: 1.2; previous revision: 1.1
enter log message, terminated with single '.' or end of file:
>> added comments
>> .
done
```

- you'll be asked to enter a message describing the changes you made
- if the file is unchanged, RCS is smart enough not to increment the revision number:

```
unix$ ci movie.c
RCS/movie.c,v <-- movie.c
file is unchanged; reverting to previous revision 1.1
done
```

keeping the working directory clean.

- use the *rcsclean* command
- this removes from the current working directory all files that are checked out in read-only mode but have not been changed since they were checked out

```
unix$ rcsclean
rm -f movie.h
```

finding differences.

- the *rcsdiff* command is used to show the differences between the version in your current working directory and the version that was last checked in to RCS

```
unix$ rcsdiff movie.c
=====
RCS file: RCS/movie.c,v
retrieving revision 1.2
diff -r1.2 movie.c
4a5
>   this program was developed by prof sklar for fall 2002.
```

using with your makefile.

- it is handy to integrate RCS into your makefile
- add a *DEFAULT* rule that will check files out of RCS for the purpose of building your project:

```
.DEFAULT:
co $(RCS)/$@,v
```

- add this line just after the *SUFFIXES* line
- you can also add *rcsclean* to your *clean* rule:

```
clean:
rcsclean
rm *.o
```

ident

- you can record version information directly in your source code
- place a line like this:

```
static char const rcsid[] = "$Id$";
```

in the global declaration section of your source code files
- after you check the file in and check it out again, RCS will automatically expand the tag:

```
static char const rcsid[] =  
    "$Id: movie.c,v 1.5 2002/10/28 16:55:09 cs3157 Exp $";
```

- now you can use the `rcsid` variable in your program
- you can also use the `ident` command to see the values:

```
unix$ ident movie.c  
movie.c:  
    $Id: movie.c,v 1.5 2002/10/28 16:55:09 cs3157 Exp $
```

revision tagging.

- each revision increases rightmost number by one: 1.1, 1.2, ...
- more than one period implies branches
- versions of file = RCS revisions
- use the `rcs` command to set revisions and branches
- do *man rcsfile* for more information
- there's also a script called *rcsfreeze* which is handy for these functions, but it is not a standard part of RCS (unfortunately)

sockets in Java.

- in the `java.net` package
- on the server side:
 - create a `ServerSocket` object for the server to listen with
 - create a `Socket` object for the connection from the client
 - use `ServerSocket.accept()` to instantiate the `Socket` object
 - use `Socket.getInputStream()` and `Socket.getOutputStream()` to communicate over the socket
- on the client side:
 - create a `Socket` object for the connection from the client
 - use the hostname and port of the server when creating the client `Socket` object
 - use `Socket.getInputStream()` and `Socket.getOutputStream()` to communicate over the socket